

SUBJECT INDEX

This index gives the first author (in parentheses), issue, and inclusive pages of the article in which the subject occurs for all feature articles, Notes & New Techniques, and Rapid Communications that appeared in Volume 46 of *Gems & Gemology*. For the Gem News International (GNI) and Lab Notes (LN) sections, inclusive pages are given for the item. The Book Reviews section is available only as an online supplement, beginning with page S1. The Author Index (p. S18) provides the full title and coauthors (if any) of the articles cited.

A

Afghanistan

- ruby and sapphire from (GNI)W10:319-320
- tsavorite and other green garnets reportedly from Kunar Province (GNI)Su10:154-155

Africa

- gem localities of the 2000s (Shigley)F10:188-216

Alexandrite

- localities of the 2000s (Shigley)F10:188-216

Alexandrite, synthetic

- developments in the 2000s (Renfro)W10:260-273

Almandine

- in 5th century jewelry from Romania (GNI)W10:316-318
- see also Garnet

Amber

- enhancements in the 2000s (McClure)F10:218-240
- filled copal imitation of (GNI)W10:326-328
- with mineral inclusions (GNI)W10:309-310

Ametrine [amethyst-citrine]

- from the Yuruty mine, Bolivia (GNI)Sp10:58-59

Andesine

- enhancements in the 2000s (McClure)F10:218-240
- from Tibet, additional field research on (GNI)W10:310-312

Andradite

- from China (GNI)Sp10:59-60
- see also Garnet

Annealing, see Diamond treatment

Apatite, synthetic

- developments in the 2000s (Renfro)W10:260-273

Aquamarine

- from Madagascar (GNI)W10:312-314
- from Vietnam (GNI)W10:311-312

Arizona, see United States

Asia

- gem localities of the 2000s (Shigley)F10:188-216

Assembled gem materials

- serpentine doublets from Arizona (GNI)Su10:157-158
- synthetic spinel and synthetic ruby doublet (LN)W10:307

Auctions

- activity in the 2000s (Shor)F10:166-187

Australia

- gem localities of the 2000s (Shigley)F10:188-216

B

Backscattered electron imaging

- of pietersite (Hu)W10:280-286

Bahrain

- pearl diving near Manama (GNI)W10:318-319

Barite

- from Brazil (GNI)Sp10:60

Bastnäsite-(Ce)

- from Malawi (Guastoni)Sp10:42-47

Beneficiation

- in Africa, added-value activities in the 2000s (Shor)F10:166-187

Beryl

- localities of the 2000s (Shigley)F10:188-216
- see also Aquamarine, Emerald, Heliodor

Beryl, synthetic

- developments in the 2000s (Renfro)W10:260-273

Bleaching

- developments in the 2000s (McClure)F10:218-240

Bolivia

- ametrine from the Yuruty mine (GNI)Sp10:58-59

Book reviews

- Agates II* (Zenz)F10:S4
- Agates and Jaspers* (Gibbs)W10:S3
- Amber: The Natural Time Capsule* (Ross)F10:S4

American Luxury: Jewels from the House of Tiffany (Falino and Markowitz, Eds.)Su10:S1

Amethyst Uruguay (Balzer)W10:S2-S3
Archaeomineralogy, 2nd ed. (Rapp)Sp10:S3

Between Eternity and History: Bulgari. From 1884 to 2009, 125 Years of Italian Jewels (Triossi)F10:S3

Blood on the Stone: Greed, Corruption, and War in the Global Diamond Trade (Smillie)W10:S1

Cartier: Innovation Through the 20th Century (Chaille)Sp10:S2

Cartier and America (Chapman)F10:S2

Contributions of the 4th International Symposium on Granitic Pegmatites (Estudos Geológicos)F10:S4

Diamonds: The Quest from Solid Rock to the Magic of Diamonds (Gordon)Su10:S2-S3

Exotic Gems, Vol. 1 (Newman)F10:S4

The Fancy Color Diamond Book: Facts & Secrets of Trading in Rarities (Rachminov)W10:S3

Gem and Ornamental Materials of Organic Origin (Campbell Pedersen)F10:S4

Gems and Gemstones: Timeless Natural Beauty of the Mineral World (Grande and Augustyn)F10:S3

Gemstones (Hurrell and Johnson)Su10:S1-S2

Genuine Diamonds Found in Arkansas, 3rd ed. (Worthington)Sp10:S2

High Jewelry by Cartier: Contemporary Creations (Tise-Isoré)F10:S2

Imperishable Beauty: Art Nouveau Jewelry (Markowitz and Karlin)Sp10:S3

Jewellery in the Age of Queen Victoria: A Mirror to the World (Gere and Rudoj)W10:S2

Jewelry & Gems: The Buying Guide, 7th ed. (Matlins and Bonanno)F10:S4

Minerals & Precious Stones of Brazil (Comejo and Bartorelli)W10:S3

Minéraux Remarquables (Boulliar)Su10:S3

Modern Jewellery Design: Past and Present (Ludwig)Sp10:S1-S2
The Most Fabulous Jewels in the World: Graff (Etherington-Smith)Sp10:S2-S3
Pearl Buying Guide, 5th ed. (Newman)F10:S4
Ruby, Sapphire, and Emerald Buying Guide, 3rd ed. (Newman)Sp10:S3
Schiffer Earth Science Monographs (Schiffer Publishing)Su10:S3
Tables of Gemstone Identification (Günther)Sp10:S3

Boxes [article sidebars]
 online databases of gemological information in the 2000s (Breeding)F10:241-257

Brazil
 barite from Acre (GNI)Sp10:60
 "Churrasco quartz" from Bahia (GNI)Sp10:63
 emerald-in-matrix from Bahia (GNI)W10:316
 rhodonite, cat's-eye, from Minas Gerais (GNI)Sp10:64

Burma, see Myanmar

C

Calcium niobium gallium
 lab-grown garnet (GNI)Su10:155

California, see United States

Cat's-eye, see Chatoyancy

Chalcedony
 chrysocolla, from Peru (GNI)Su10:148-149

"**Challenge**," see *Gems & Gemology*

Charts
 gem localities of the 2000s (Shigley)F10:188-216

Chatoyancy
 in rhodonite from Brazil (GNI)Sp10:64

Chemical analysis
 developments in the 2000s (Breeding)F10:241-257

Chemical composition
 of bastnäsite-(Ce) and parasite-(Ce) from Malawi (Guastoni)Sp10:42-47
 of natural and synthetic emerald (Huong)Sp10:36-41
 of opal from Wollo, Ethiopia (Rondeau)Su10:90-105

Chemical vapor deposition [CVD], see Diamond, synthetic

China
 andesine from Tibet, purported localities (GNI)W10:310-312
 andradite from (GNI)Sp10:59-60
 pietersite from Henan Province (Hu)W10:280-286
 "Soufflé" freshwater cultured pearls from (GNI)Sp10:61-63

Chrysoberyl
 localities of the 2000s (Shigley)F10:188-216

Chrysocolla, see Chalcedony

Clarity enhancement
 developments in the 2000s (McClure)F10:218-240

Clark, Roy E. "Chip"
 obituary (GNI)Su10:162

Coating
 developments in the 2000s (McClure)F10:218-240
 of diamond, pink (LN)W10:299-300
 of tanzanite with a colored adhesive (GNI)Su10:159-160

Color change
 in synthetic apatite (McClure)F10:218-240

Color zoning
 in barite from Brazil (GNI)Sp10:60

Colored stones
 localities of the 2000s (Shigley)F10:188-216
 production and markets, in the 2000s (Shor)F10:166-187
 treatments, developments in the 2000s (McClure)F10:218-240

Composite materials
 coral bangle (GNI)Su10:158-159
 turquoise, green and purple—(LN)Sp10:56-57; and blue (Choudhary)Su10:106-113, (LN)W10:303-304
 see also Ruby, lead glass-filled

Computed tomography, see X-ray computed microtomography

Computer modeling
 of the Tavernier Blue and Hope diamonds (Sucher)Sp10:28-35

Conference reports
 Carpathian and Balkan Geological Association meeting (GNI)W10:333
 European Diamond Conference (GNI)W10:333-334
 1st Italian Conference on Scientific Gemology (GNI)Su10:160-161
 5th International Workshop on Provenance and Properties of Gems and Geo-materials (GNI)W10:334
 Sinkankas Symposium 2010—Gem Feldspars (GNI)Su10:161
 20th Annual Goldschmidt Conference (GNI)W10:330-332
 20th General Meeting of the International Mineralogical Association (GNI)W10:332-333

Copal
 filled, to imitate amber (GNI)W10:326-328

Coral
 composite bangle (GNI)Su10:158-159
 enhancements in the 2000s (McClure)F10:218-240

Corundum, see Ruby; Sapphire

Cultured pearl, see Pearl, cultured

Cuts and cutting
 of hanksite from California (GNI)Sp10:60-61

see also Diamond, cuts and cutting of
CVD [chemical vapor deposition]-grown synthetic diamonds, see Diamond, synthetic

D

Database
 online sources of gemological information in the 2000s (Breeding)F10:241-257

De Beers
 developments in the 2000s (Shor)F10:166-187

Demantoid, see Andradite

Diamond
 localities of the 2000s (Shigley)F10:188-216
 production in the 2000s—(Shigley)F10:188-216; and marketing (Shor)F10:166-187
 with strong green fluorescence (LN)Sp10:49-50
 with unusual display of H3 defect (LN)Su10:142-143
 see also Diamond, colored; Diamond, cuts and cutting of; Diamond, inclusions in; Diamond, synthetic; Diamond treatment; DiamondView imaging

Diamond, colored
 black, with solid CO₂ micro-inclusions and phosphorescent zones (LN)Su10:140-142
 blue type IIb HPHT-treated—6.46 ct (LN)Sp10:50-51; Fancy Vivid (LN)Su10:141-142
 brownish greenish yellow—with cuboid cloud (LN)Sp10:64-65; type Ib, with unusual growth structure (LN)W10:298-299
 greenish yellow, colored by IR-inactive nitrogen (LN)Sp10:52
 Hope diamond—possible sister stones of (Sucher)Sp10:28-35; relationship to the Wittelsbach-Graff diamond (Gaillou)Su10:80-88
 orangy red, coated and fracture-filled (LN)Sp10:48-49
 pink—color darkened by coating (LN)W10:299-300; colored by multiple treatments (LN)Sp10:51-52
 Wittelsbach-Graff, relationship to the Hope diamond (Gaillou)Su10:80-88

Diamond, cuts and cutting of
 developments in the 2000s (Breeding)F10:241-257
 facet arrangement produces scalloped appearance (GNI)Su10:147-148
 the Tavernier Blue recut to produce the French Blue (Sucher)Sp10:28-35

Diamond, inclusions in
 cuboid cloud, in brownish greenish yellow (LN)Sp10:64-65
 of graphite, in large HPHT-treated (LN)W10:298

Diamond, synthetic

CVD-grown—color alterations in, with heat and UV exposure (Khan) Sp10:18-26; colorless, 1.05 ct, submitted for grading (LN)Su10:143-144; red, with multiple treatments (LN)Sp10:52-54; strongly colored pink (Wang)Sp10:4-17; treated pink melee (GNI)Sp10:68-69

HPHT-grown—large (4+ ct) yellow-orange (LN)W10:301; with Si-vacancy defect (LN)W10:302; treated purplish pink (LN)W10:300-301; yellow melee (LN)W10:302-303

LifeGem, produced from cremated remains (Renfro)W10:260-273

Diamond treatment

coated—and fracture-filled, orangy red (LN)Sp10:48-49; pink (LN)W10:299-300

developments in the 2000s (McClure)F10:218-240

HPHT—3.81 ct Fancy Vivid blue (LN)Su10:141-142; 6.46 ct blue (LN)Sp10:50-51; influx of large type IIa (LN)W10:298

irradiated, black (LN)Sp10:50

pink, treated by multiple processes (LN)Sp10:51-52

see also Diamond, synthetic

DiamondView imaging

of black diamond with phosphorescent zones (LN)Su10:140-142

of coated orangy red diamond (LN)Sp10:48-49

developments in the 2000s (Breeding)F10:241-257

of diamond with strong green fluorescence (LN)Sp10:49

of H3 defect in a colorless diamond (LN)Su10:142-143

of “necktie” pattern in type Ib diamond (LN)W10:298-299

of synthetic diamond, CVD-grown—colorless 1.05 ct (LN)Su10:143-144; pink (Wang)Sp10:4-17; treated pink (GNI)Sp10:68-69

of synthetic diamond, HPHT-grown—blue, with Si-vacancy (LN)W10:302; HPHT-treated purplish pink (LN)W10:300-301; yellow melee (LN)W10:302-303

of type IIa greenish yellow diamond (LN)Sp10:52

of the Wittelsbach-Graff and Hope diamonds (Gaillou)Su10:80-88

Diffusion treatment

developments in the 2000s (McClure)F10:218-240

of sapphire with Be—green (LN)Su10:144-145; with interesting zoning patterns (GNI)Sp10:70

Diopside

from Madagascar (GNI)Sp10:65-66

from Pakistan (GNI)W10:313-314

Doublets, see Assembled gem materials

Durability

of lead-glass filling in ruby, damaged dur-

ing jewelry repair (LN)W10:305-306

Dyeing

of conch shell beads (GNI)Sp10:71-72

developments in the 2000s

(McClure)F10:218-240

of turquoise, composite—

(Choudhary)Su10:106-113; with

metallic veining (LN)W10:303-304

E

Editorials

“The Dr. Edward J. Gübelin Most Valuable Article Award” Sp10:1-2

“A Fond Farewell” (Keller)W10:259

“GIA Symposium 2011: Advances in Gemological Research” (Keller)Su10:79

Retrospective of the First Decade of the 2000s: Looking Back as We Move Ahead” (Keller)F10:165

Electron-microprobe analysis

of yellow scapolite from Madagascar (Superchi)W10:274-279

see also Chemical composition

Emerald

confocal Raman spectroscopy to separate natural from synthetic (Huong)Sp10:36-41

enhancements in the 2000s

(McClure)F10:218-240

glass imitation of (GNI)Su10:155-156

in matrix, from Brazil (GNI)W10:316

from North Carolina, 64.83 ct

(GNI)W10:314-315

Emerald, synthetic

confocal Raman spectroscopy to separate from natural (Huong)Sp10:36-41

developments in the 2000s

(Renfro)W10:260-273

Enhancement

and its detection in the 2000s (McClure)F10:218-240

see also Bleaching; Clarity enhancement; Coating; Diamond treatment; Diffusion treatment; Dyeing; Filling; fracture or cavity; Heat treatment; Impregnation; Irradiation; Luster enhancement; Treatment; specific gem materials

Einsiedeln Abbey, Switzerland

gems in a ciborium from

(Karamelas)W10:292-296

Errata

to “Developments in techniques and instrumentation during the 2000s” (Breeding)F10:241-257—correct name of Holloway Cut Adviser and developer of M-Box software (GNI)W10:335

to “Diamond with flower-shaped cloud” (LN)W09:290—cloud orientation {100} (LN)Su10:146

to “Era of sweeping change in diamond and colored stone production and markets” (Shor)F10:166-187—first lab to issue diamond cut grades

(GNI)W10:335

to “faceted vanadinite” (GNI)Su08:184-185—mine location (GNI)W10:335

to “Gem localities of the 2000s”

(Shigley)F10:188-216—location of

Hiddenite emerald and Canary tour-

maline mines (GNI)W10:335

Ethiopia

opal from Wegel Tena, Wollo Province (Rondeau)Su10:90-105

F

Faceting, see Diamond, cuts and cutting of

Fair trade practices

in the 2000s (Shor)F10:166-187

Fakes, see specific gem materials simulated

Feldspar, see Andesine

FIB, see Focused ion beam

Filling, fracture or cavity

of jadeite, transparent (LN)Sp10:54-55

of ruby with lead glass—in antique pendant (GNI)Su10:159; damaged during

jewelry repair (LN)W10:305-306

Flash effect

in filled jadeite (LN)Sp10:54-55

Fluorescence, ultraviolet [UV]

of composite turquoise

(Choudhary)Su10:106-113

of filled copal beads (GNI)W10:326-328

of pink CVD-grown synthetic diamond (Wang)Sp10:4-17

strong green, in diamond (LN)Sp10:49

see also DiamondView imaging

Focused ion beam [FIB]

developments in the 2000s (Breeding)F10:241-257

France

sapphire from Auvergne (GNI)W10:320-321

French Blue diamond

CZ replica in recreated Golden Fleece

(GNI)W10:329-331

relationship to the Tavernier Blue and

Hope diamonds (Sucher)Sp10:28-35

G

Garnet

enhancements in the 2000s

(McClure)F10:218-240

localities of the 2000s (Shigley)F10:188-216

see also Almandine, Andradite, Grossular, Pyrope-almandine

Garnet, synthetic

calcium niobium gallium

(GNI)Su10:155

Gemological Institute of America

Symposium 2011 (Keller)Su10:79

Gems & Gemology

“Challenge”—Sp10:74-74; winners and answers F10:217

Edward J. Gübelin Most Valuable

Article Award Sp10:1-2

- Glass**
green—with crystalline aggregates (GNI)W10:328-329; with straight zones, imitating emerald (GNI)Su10:155-156; with synthetic diopside inclusions (GNI)Su10:144 see also Glass-ceramic
- Glass-ceramic**
“Nanogems” (GNI)Su10:156-157
- Golden Fleece**
of Louis XV, recreated (GNI)W10:329-331
- “**Golden tridacna**” beads, see Shell
- Grossular**
tsavorite—and other green garnets reportedly from Afghanistan (GNI)Su10:154-155; from Tanzania (GNI)Sp10:67-68
- H**
- Hanksite**
as a gem material (GNI)Sp10:60-61
- Heat treatment**
developments in the 2000s (McClure)F10:218-240
of spinel (LN)Su10:145-146
- Heliodor**
from Southeast Asia (GNI)W10:311-312
- Hibonite**
reportedly from Myanmar (Hainschwang)Su10:135-138
- High-pressure, high-temperature [HPHT] synthesis**, see Diamond, synthetic
- High-pressure, high-temperature [HPHT] treatment**, see Diamond treatment
- History**
of 5th century jewelry from Romania (GNI)W10:316-318
of gems in a ciborium from Einsiedeln Abbey, Switzerland (Karampelas)W10:292-296
of the Golden Fleece of Louis XV (GNI)W10:329-331
- Hope diamond**
relationship to the Tavernier Blue and French Blue diamonds (Sucher)Sp10:28-35
relationship to the Wittelsbach-Graff diamond (Gaillou)Su10:80-88
- Hydrophane**
opal from Wollo Province, Ethiopia (Rondeau)Su10:90-105
- I**
- Imitations**, see specific gem material imitated
- Impregnation**
developments in the 2000s (McClure)F10:218-240
- Inclusions**
in almandine in Romanian jewelry (GNI)W10:316-318
in ametrine from the Yuruty mine, Bolivia (GNI)Sp10:58-59
in andradite from China (GNI)Sp10:59-60
in bastnäsite-(Ce) and parasite-(Ce) from Malawi (Guastoni)Sp10:42-47
blockage-induced growth tubes in tourmaline (LN)Sp10:55-56
in brownish orange sapphire, Be-diffused (GNI)Sp10:70
of chamosite and tourmaline in “Churrasco quartz” (GNI)Sp10:63
in diamond—cuboid cloud (LN)Sp10:64-65; graphite in large HPHT-treated (LN)W10:298
of diaspore and hematite in sapphire from Tanzania (LN)Su10:140-141
in glass—crystalline (GNI)W10:328-329; with straight growth lines (GNI)Su10:155-156; synthetic diopside (GNI)Su10:144
in hanksite, gaylussite (GNI)Sp10:60-61
of hematite in fire opal from Madagascar (Simoni)Su10:114-121
in hibonite (Hainschwang)Su10:135-138
of insects and plant debris in filled copal (GNI)W10:326-328
in Mexifire synthetic opal (Bhandari)W10:287-290
of minerals in amber (GNI)W10:309-310
in “Nanogem” glass-ceramic (GNI)Su10:156-157
in opal from Wollo Province, Ethiopia (Rondeau)Su10:90-105
in pietersite (Hu)W10:280-286
in pink CVD synthetic diamond (Wang)Sp10:4-17
polyphase, in sapphire from Tanzania (LN)Su10:140-141
of sapphire in sapphire (GNI)W10:306-307
in scapolite, yellow, from Madagascar (Superchi)W10:274-279
of solid CO₂ in black diamond (LN)Su10:140-142
in spinel, heat-treated reddish orange (LN)Su10:145-146
- Indochina**
aquamarine and heliodor from (GNI)W10:311-312
- Infrared spectroscopy**, see Spectroscopy, infrared
- Instruments**
developments in the 2000s (Breeding)F10:241-257
LCD screen as source of polarized light (GNI)W10:325-326
smartphone photomicrography (GNI)W10:325-326
see also Backscattered electron imaging; DiamondView imaging; Electron-microprobe analysis; Focused ion beam; Lighting; Photomicrography; Polariscopes; Scanning electron microscopy; Spectrometry [various]; Spectroscopy [various]; Transmission electron microscopy; X-radiography; X-ray computed microtomography; X-ray diffraction
- Irradiation**
developments in the 2000s (McClure)F10:218-240
see also Diamond treatment
- J**
- Jade**
enhancements in the 2000s (McClure)F10:218-240
localities of the 2000s (Shigley)F10:188-216
- Jadeite**
enhancements in the 2000s (McClure)F10:218-240
treated, exceptionally transparent (LN)Sp10:54-55
- Jadeite, synthetic**
developments in the 2000s (Renfro)W10:260-273
- Jewelry**
antique, with lead glass-filled ruby (GNI)Su10:159
5th century garnet jewelry from Romania (GNI)W10:316-318
gem tapestry (GNI)Sp10:72-73
- K**
- Kimberley Process**
to address conflict diamonds (Shor)F10:166-187
- Kunzite**, see Spodumene
- L**
- LA-ICP-MS**, see Spectrometry, laser ablation—inductively coupled plasma—mass
- Lapidary arts**, see Cuts and cutting; Diamond, cuts and cutting of
- Lapis lazuli**
imitation, with metallic veining (LN)W10:303-304
- Lepidolite**
beads from Mozambique (GNI)Sp10:61-62
- Letters**
diffraction gratings on diamond surfaces (Let)Sp10:73
more on the relationship of the Wittelsbach-Graff and Hope diamonds (Let)F10:S1,S4
- LIBS**, see Spectroscopy, laser-induced breakdown
- Liddicoatite**, see Tourmaline
- LifeGem**, see Diamond, synthetic
- Lighting**
developments in the 2000s (Breeding)F10:241-257
- Luminescence**, see DiamondView imaging; Fluorescence, ultraviolet [UV]; Phosphorescence
- Luster enhancement**
developments in the 2000s (McClure)F10:218-240

M

Madagascar

- aquamarine from Tsaramanga (GNI)W10:312-314
- diopside from Ihosy (GNI)Sp10:65-66
- fire opal from Bemia (Simoni)Su10:114-121
- sapphire from Ilakaka and Andranondambo (GNI)W10:321-322
- scapolite from Ihosy (Superchi)W10:274-279

Malawi

- bastnäsite-(Ce) and parasite-(Ce) from Mt. Malosa (Guastoni)Sp10:42-47

Marketing and distribution

- of diamonds and colored stones in the 2000s (Shor)F10:166-187

Mexifire, see Opal, synthetic

Microprobe, see Chemical composition

Microtomography, X-ray computed

- developments in the 2000s (Breeding)F10:241-257
- of pearls (Karampelas)Su10:122-127; (Krzemnicki)Su10:128-134

Most valuable article, see *Gems & Gemology*

Mozambique

- lepidolite beads from Alto Ligonha (GNI)Sp10:61-62
- Paraíba-type liddicoatite, possibly from (GNI)W10:323-325
- ruby from Cabo Delgado (GNI)Su10:151-152

Myanmar

- gems from, update (GNI)Su10:161-162
- hibonite, reportedly from (Hainschwang)Su10:135-138
- spinel from Bawma (GNI)Su10:154

N

Namibia

- pietersite from Kuraman (Hu)W10:280-286

“Nanogems”

- glass-ceramic material (GNI)Su10:156-157

NanoSIMS, see Spectrometry, secondary ion mass [SIMS]

“Neptunian” beads, see Shell

North America

- gem localities of the 2000s (Shigley)F10:188-216

North Carolina, see United States

O

Obituary

- Roy E. “Chip” Clark (GNI)Su10:162

Opal

- enhancements in the 2000s (McClure)F10:218-240
- fire—comparison to “Mexifire” (Bhandari)W10:287-290; from

Madagascar (Simoni)Su10:114-121
localities of the 2000s (Shigley)F10:188-216

play-of-color, from Wollo Province, Ethiopia (Rondeau)Su10:90-105

Opal, synthetic

- developments in the 2000s (Renfro)W10:260-273
- “Mexifire” (Bhandari)W10:287-290

P

Pakistan

- diopside from Gilgit-Baltistan (GNI)W10:313-314
- ruby and sapphire from (GNI)W10:319-320
- spinel from the Shigar Valley (GNI)Su10:152-154

“Paraiba” tourmaline, see Tourmaline

Parisite-(Ce)

- from Malawi (Guastoni)Sp10:42-47

PATRIOT Act

- impact of, in the 2000s (Shor)F10:166-187

Pearl

- from Bahrain (GNI)W10:318-319
- enhancements in the 2000s (McClure)F10:218-240
- freshwater, large pair (LN)Sp10:55
- green-gray (LN)W10:304-305
- scallop (GNI)Su10:149-151
- X-ray computed microtomography to separate from cultured (Karampelas)Su10:122-127; (Krzemnicki)Su10:128-134

Pearl, cultured

- enhancements in the 2000s (McClure)F10:218-240
- localities of the 2000s (Shigley)F10:188-216
- production and markets, in the 2000s (Shor)F10:166-187
- “Soufflé” freshwater, from China (GNI)Sp10:61-63
- X-ray computed microtomography to separate from natural (Karampelas)Su10:122-127; (Krzemnicki)Su10:128-134

Peridot

- localities of the 2000s (Shigley)F10:188-216

Peru

- chrysocolla chalcedony from Acari (GNI)Su10:148-149

Phosphorescence

- of the Wittelsbach-Graff and Hope diamonds (Gaillou)Su10:80-88
- of zones in black diamond (LN)Su10:140-142

Photomicrography

- using a smartphone and clip-on microscope (GNI)W10:325-326

Pietersite

- from Namibia and China (Hu)W10:280-286

serpentine doublets sold as (GNI)Su10:157-158

Play-of-color, see Opal

Polariscope

- with LCD screen as light source (GNI)W10:325-326

Pyrope-almandine

- from the Solomon Islands (GNI)Sp10:66-67

Q

Quartz

- “Churrasco,” with tourmaline and chamosite inclusions, from Brazil (GNI)Sp10:63
- localities of the 2000s (Shigley)F10:188-216
- see also Ametrine [amethyst-citrine], Pietersite

Quartz, synthetic

- developments in the 2000s (Renfro)W10:260-273

R

Religious artifacts

- gems in a ciborium from Einsiedeln Abbey, Switzerland (Karampelas)W10:292-296

Rhodonite

- cat’s-eye, from Brazil (GNI)Sp10:64

Richterite

- and sugilite, rock containing (LN)W10:305-306

Rock

- containing richterite and sugilite (LN)W10:305-306
- emerald-in-matrix, from Brazil (GNI)W10:316

Romania

- 5th century jewelry from Cluj-Napoca (GNI)W10:316-318

Ruby

- enhancements in the 2000s (McClure)F10:218-240
- lead glass-filled—in antique jewelry (GNI)Su10:159; damaged during jewelry repair (LN)W10:305-306
- localities of the 2000s (Shigley)F10:188-216
- from Mozambique (GNI)Su10:151-152
- from Pakistan and Afghanistan (GNI)W10:319-320
- polyphase inclusions in (LN)Su10:140-141
- set with colored adhesive (GNI)Su10:159-160
- from Vietnam (GNI)Su10:151-153

Ruby, synthetic

- developments in the 2000s (Renfro)W10:260-273
- doublet with synthetic spinel (LN)W10:307
- specimen sold as natural (GNI)W10:329-330

S

Sapphire

diffusion-treated with Be—brownish orange with zoning pattern (GNI)Sp10:70; green 14.20 ct (LN)Su10:144-145
enhancements in the 2000s (McClure)F10:218-240
from France (GNI)W10:320-321
localities of the 2000s (Shigley)F10:188-216
from Madagascar (GNI)W10:321-322
from Pakistan and Afghanistan (GNI)W10:319-320
polyphase inclusions in (LN)Su10:140-141
with sapphire inclusion (GNI)W10:306-307
from Vietnam (GNI)Su10:151-153

Sapphire, synthetic

developments in the 2000s (Renfro)W10:260-273

Scanning electron microscopy [SEM]

environmental (ESEM), analysis of pietersite (Hu)W10:280-286
of “Soufflé” cultured pearls (GNI)Sp10:61-63

Scapolite

yellow, from Madagascar (Superchi)W10:274-279

Serpentine

doublets sold as pietersite (GNI)Su10:157-158

Shell

conch beads, dyed (“Neptunian” or “Golden tridacna”) (GNI)Sp10:71-72

SIMS analysis, see Spectrometry, secondary ion mass

Simulants, see specific gem materials simulated

Solomon Islands

garnet and zircon from Malaita (GNI)Sp10:66-67

South America

gem localities of the 2000s (Shigley)F10:188-216

Spectrometers, handheld and portable

developments in the 2000s (Breeding)F10:241-257

Spectrometry, laser ablation—inductively coupled plasma—mass [LA-ICP-MS]

developments in the 2000s (Breeding)F10:241-257
of fire opal from Madagascar (Simoni)Su10:114-121
to identify natural and synthetic emerald (Huong)Sp10:36-41
of liddicoatite, Paraíba-type (GNI)W10:323-325
see also Chemical composition

Spectrometry, secondary ion mass [SIMS]

developments in the 2000s (Breeding)F10:241-257

Spectroscopy, confocal micro-Raman

to identify natural and synthetic emer-

alds (Huong)Sp10:36-41

Spectroscopy, energy-dispersive

of hibonite (Hainschwang)Su10:135-138

Spectroscopy, infrared

of composite turquoise (Choudhary)Su10:106-113
of diamond—black (LN)Su10:140-142; H-rich brownish greenish yellow (LN)Sp10:64-65; Wittelsbach-Graff and Hope diamonds (Gaillou)Su10:80-88
of diamond, CVD synthetic—before and after exposure to heat and UV rays (Khan)Sp10:18-26; pink (Wang)Sp10:4-17
of fire opal from Madagascar (Simoni)Su10:114-121
of hibonite (Hainschwang)Su10:135-138
of Mexifire synthetic opal (Bhandari)W10:287-290
of scapolite from Madagascar (Superchi)W10:274-279

Spectroscopy, laser-induced breakdown

[LIBS]
developments in the 2000s (Breeding)F10:241-257

Spectroscopy, phosphorescence

of the Wittelsbach-Graff and Hope diamonds (Gaillou)Su10:80-88

Spectroscopy, photoluminescence

of a colorless diamond with a strong H3 defect (LN)Su10:142-143
developments in the 2000s (Breeding)F10:241-257
of spinel (LN)Su10:145-146
of synthetic diamond—CVD-grown pink (Wang)Sp10:4-17; HPHT-grown blue, with Si-vacancy (LN)W10:302

Spectroscopy, Raman

of bastnäsite-(Ce) and parasite-(Ce) from Malawi (Guastoni)Sp10:42-47
confocal, to separate from natural emerald (Huong)Sp10:36-41
developments in the 2000s (Breeding)F10:241-257
of opal—fire, from Madagascar (Simoni)Su10:114-121; play-of-color, from Wollo Province, Ethiopia (Rondeau)Su10:90-105
of gems in a ciborium from Einsiedeln Abbey (Karampelas)W10:292-296

Spectroscopy, UV-Vis-NIR

of coated diamond—orange red (LN)Sp10:48-49; pink (LN)W10:299-300
of CVD synthetic diamond—before and after exposure to heat and UV rays (Khan)Sp10:18-26; pink (Wang)Sp10:4-17; treated red (LN)Sp10:52-54
of hibonite (Hainschwang)Su10:135-138
of Paraíba-type liddicoatite (GNI)W10:323-325

Sphene [titanite]

from the Shigar Valley, Pakistan (GNI)Su10:152-154

Spinel

enhancements in the 2000s

(McClure)F10:218-240
heat-treated reddish orange (LN)Su10:145-146
localities of the 2000s (Shigley)F10:188-216
from Myanmar (GNI)Su10:154
red to pink, from Tanzania (GNI)Sp10:58
from Vietnam (GNI)Su10:151-153

Spinel, synthetic

doublet with synthetic ruby (LN)W10:307

Spodumene

green, thermoluminescent (GNI)W10:322-323
kunzite from California (GNI)Su10:148-149

Stability

of opal from Wollo Province, Ethiopia (Rondeau)Su10:90-105

Strain

in treated pink CVD synthetic diamond (GNI)Sp10:68-69
of the Wittelsbach-Graff and Hope diamonds (Gaillou)Su10:80-88

Sugilite

and richterite, rock containing (LN)W10:305-306

Switzerland

gems in a ciborium from Einsiedeln Abbey (Karampelas)W10:292-296

Synthetics

of the 2000s (Renfro)W10:260-273
see also specific gem materials

T

Tanzania

sapphire from Winza, with polyphase inclusions (LN)Su10:140-141
tsavorite from Namalulu (GNI)Sp10:67-68

Tanzanite

enhancements in the 2000s (McClure)F10:218-240
localities of the 2000s (Shigley)F10:188-216
set with colored adhesive (GNI)Su10:159-160

Tapestry

of gems (GNI)Sp10:72-73

Tavernier Blue diamond

relationship to the French Blue and Hope diamonds (Sucher)Sp10:28-35

Thermoluminescence

of green spodumene (GNI)W10:322-323

Tiger's-eye

as compared to pietersite (Hu)W10:280-286

Titanite, see Sphene

Topaz

enhancements in the 2000s (McClure)F10:218-240
localities of the 2000s (Shigley)F10:188-216

Topaz, synthetic
developments in the 2000s
(Renfro)W10:260-273

Tourmaline
with blockage-induced growth tubes
(LN)Sp10:55-56
enhancements in the 2000s
(McClure)F10:218-240
liddicoatite, Paraíba-type
(GNI)W10:323-325
localities of the 2000s (Shigley)F10:188-216

Transmission electron microscopy [TEM]
of opal from Wollo Province, Ethiopia
(Rondeau)Su10:90-105

Treatment
developments in the 2000s
(McClure)F10:218-240
lead-glass filling of ruby—
(GNI)Su10:159; damaged during
repair (LN)W10:305-306
of turquoise with colored polymer
(LN)Sp10:56-57
see also Bleaching; Clarity enhance-
ment; Coating; Diamond treatment;
Diffusion treatment; Dyeing;
Filling, fracture or cavity; Heat
treatment; Impregnation;
Irradiation; Luster enhancement;
specific gem materials

Tsavorite, see Grossular

Tucson gem and mineral shows
highlights of (GNI)Sp10:58-64

Turquoise
blue and purple composite, with metal-

lic veining (LN)W10:303-304
enhancements in the 2000s
(McClure)F10:218-240
green and purple, treated—
(LN)Sp10:56-57; and blue, composite
(Choudhary)Su10:106-113

U

Ultraviolet fluorescence, see Fluorescence,
ultraviolet [UV]

United States

hanksite from California (GNI)Sp10:60-61
kunzite from Pala, California
(GNI)Su10:148-149
serpentine doublets from Arizona
(GNI)Su10:157-158
64.83 ct emerald, from Hiddenite,
North Carolina (GNI)W10:314-315

V

Vietnam

aquamarine from Thanh Hoa and Nghe
An provinces (GNI)W10:311-312
ruby, sapphire, and spinel mining
update (GNI)Su10:151-153

W

Wittelsbach-Graff diamond

relationship to the Hope diamond
(Gaillou)Su10:80-88

X

X-radiography

developments in the 2000s
(Breeding)F10:241-257
of pearls (Karamelas)Su10:122-127,
(Krzemnicki)Su10:128-134

X-ray computed microtomography

developments in the 2000s
(Breeding)F10:241-257
of pearls (Karamelas)Su10:122-127,
(Krzemnicki)Su10:128-134

X-ray diffraction

of fire opal from Madagascar
(Simoni)Su10:114-121

Z

Zircon

enhancements in the 2000s
(McClure)F10:218-240
from the Solomon Islands
(GNI)Sp10:66-67

Zoisite

localities of the 2000s (Shigley)F10:188-216
see also Tanzanite

Zoning, see Color zoning; specific gem
materials

AUTHOR INDEX

This index lists, in alphabetical order, the authors of all feature articles, Notes & New Techniques, and Rapid Communications that appeared in the four issues of Volume 46 of *Gems & Gemology*, together with the full title and inclusive page numbers of each article and the issue (in parentheses). Full citation is given under the first author only, with reference made from coauthors.

A

Adamo I., see Simoni M.
Armbruster T., see Hainschwang T.
Attaway N.L., see Sucher S.D.
Attaway S.W., see Sucher S.D.

B

Bekele E., see Rondeau B.
Bersani D., see Karamelas S.
Bhandari R., Choudhary G.: Update on Mexi-
fire synthetic fire opal, 287-290 (Winter)
Breeding C.M., Shen A.H., Eaton-Magaña
S., Rossman G.R., Shigley J.E., Gilbert-
son A.: Developments in gemstone
analysis techniques and instrumenta-
tion during the 2000s, 241-257 (Fall)
Butler J.E., see Gaillou E.

C

Cann B.L., see Khan R.U.A.
Castaman E., see Superchi M.
Caucia F., see Simoni M.
Cenki-Tok B., see Rondeau B.
Chalus P., see Krzemnicki M.S.
Choudhary G.: A new type of composite
turquoise, 106-113 (Summer)
Choudhary G., see also Bhandari R.
Collins A.T., see Gaillou E.

D

Dhillon H.K., see Khan R.U.A.
Dirlam D.M., see Shigley J.E.
Doering P., see Wang W.

E

Eaton-Magaña S., see Breeding C.M.,
Wang W.
Elen S., see Shigley J.E.
Emerson E., see Wang W.
Enzmann F., see Karamelas S.

F

Friess S.D., see Krzemnicki M.S.
Fritsch E., see Hainschwang T.,
Karamelas S., Rondeau B.

G

Gaillou E., Wang W., Post J.E., King J.M.,
Butler J.E., Collins A.T., Moses T.M.:
The Wittelsbach-Graff and Hope dia-

monds: Not cut from the same rough, 80-88 (Summer)
Gaillou E., see also Rondeau B.
Galinetto P., see Simoni M.
Gambini E., see Superchi M.
Gauthier J.-P., see Rondeau B.
Gilbertson A., see Breeding C.M.
Guastoni A., Kondo D., Nestola F.:
Bastnäsite-(Ce) and parisite-(Ce) from
Mt. Malosa, Malawi, 42-47 (Spring)
Gübelin S., see Karamelas S.

H

Häger T., see Huong L.T.-T.
Hainschwang T., Notari F., Massi L.,
Armbruster T., Rondeau B., Fritsch E.,
Nagashima M.: Hibonite: A new gem
mineral, 135-138 (Summer)
Hänni H.A., see Krzemnicki M.S.
Heaney P.J., see Hu K.
Hofmeister W., see Huong L.T.-T.
Hu K., Heaney P.J.: A microstructural
study of pietersite from Namibia And
China, 280-286 (Winter)
Hunger K., see Karamelas S.
Huong L.T.-T., Häger T., Hofmeister W.:
Confocal micro-Raman spectroscopy: A
powerful tool to identify natural and
synthetic emeralds, 36-41 (Spring)

J

Janse A.J.A., see Shigley J.E.
Johnson P., see Wang W.

K

Kane R.E., see McClure S.F.
Karamelas S., Michel J., Zheng-Cui M.,
Schwarz J.-O., Enzmann F., Fritsch E.,
Leu L., Krzemnicki M.S.: X-ray computed
microtomography applied to pearls:
Methodology, advantages, and limita-
tions, 122-127 (Summer)
Karamelas S., Wörle M., Hunger K., Lanz
H., Bersani D., Gübelin S.: A study of the
gems in a ciborium from Einsiedeln
Abbey, 291-295 (Winter)
Karamelas S., see also Krzemnicki M.S.
Keller A.S.:
A fond farewell, 259 (Winter)
GIA Symposium 2011: Advances in
gemological research, 79 (Summer)

Retrospective of the first decade of the
2000s: Looking back as we move
ahead, 165 (Fall)
Khan R.U.A., Martineau P.M., Cann B.L.,
Newton M.E., Dhillon H.K., Twitchen
D.J.: Color alterations in CVD synthetic
diamond with heat and UV exposure:
Implications for color grading and identi-
fication, 18-26 (Spring)
King J.M., see Gaillou E.
Koivula J.I., see Renfro N.
Kondo D., see Guastoni A.
Krzemnicki M.S., Friess S.D., Chalup P.,
Hänni H.A., Karamelas S.: X-ray com-
puted microtomography: Distinguishing
natural pearls from beaded and non-
beaded cultured pearls, 128-134
(Summer)
Krzemnicki M.S., see also Karamelas S.

L

Lanz H., see Karamelas S.
Laurs B.M., see Shigley J.E.
Leu L., see Karamelas S.
Lu R., see Wang W.

M

Martineau P.M., see Khan R.U.A.
Massi L., see Hainschwang T.
Mazzerro F., see Rondeau B.
McClure S.F., Kane R.E., Sturman N.:
Gemstone enhancement and its detec-
tion in the 2000s, 218-240 (Fall)
Michel J., see Karamelas S.
Moses T.M., see Gaillou E., Wang W.

N

Nagashima M., see Hainschwang T.
Nestola F., see Guastoni A.
Newton M.E., see Khan R.U.A.
Notari F., see Hainschwang T.

P

Pezzotta F., see Superchi M.
Post J.E., see Gaillou E., Sucher S.D.

R

Renfro N., Koivula J.I., Wang W., Roskin

G.: Synthetic gem materials in the
2000s: A decade in review, 260-273
(Winter)

Rondeau B., Fritsch E., Mazzerro F.,
Gauthier J.-P., Cenki-Tok B., Bekele E.,
Gaillou E.: Play-of-color opal from Wegel
Tena, Wollo Province, Ethiopia, 90-105
(Summer)
Rondeau B., see also Hainschwang T.
Roskin G., see Renfro N.
Rossman G.R., see Breeding C.M.

S

Schwarz J.-O., see Karamelas S.
Shen A.H., see Breeding C.M.
Shigley J.E., Laurs B.M., Janse A.J.A., Elen
S., Dirlam D.M.: Gem localities of the
2000s, 188-216 (Fall)
Shigley J.E., see also Breeding C.M.
Shor R., Weldon R.: An era of sweeping
change in diamond and colored stone
production and markets, 166-187 (Fall)
Simoni M., Caucia F., Adamo I.,
Galinetto P.: New occurrence of fire
opal from Bemia, Madagascar, 114-121
(Summer)
Sturman N., see McClure S.F.
Sucher S.D., Attaway S.W., Attaway N.L.,
Post J.E.: Possible "sister" stones of the
Hope diamond, 28-35 (Spring)
Superchi M., Pezzotta F., Gambini E.,
Castaman E.: Yellow scapolite from
Ihosy, Madagascar, 274-279 (Winter)

T

Tower J., see Wang W.
Twitchen D.J., see Khan R.U.A.

W

Wang W., Doering P., Tower J., Lu R.,
Eaton-Magaña S., Johnson P., Emerson
E., Moses T.M.: Strongly colored pink
CVD lab-grown diamonds, 4-17 (Spring)
Wang W., see also Gaillou E., Renfro N.
Weldon R., see Shor R.
Wörle M., see Karamelas S.

Z

Zheng-Cui M., see Karamelas S.